

# Ruderalpflanzen in Armenien

Prof. Dr. Dietmar Brandes  
TU Braunschweig



Acer negundo



*Ailanthus altissima* und *Platanus x hybrida*



Alhagi pseudalhagi



Artemisia absinthium



*Amberboa moschata* (halbruderal bei Erebuni/Jerevan)



*Anchusa azurea*





Astragalus goktschiacus (halbruderal am Sevan-See)





Atriplex tatarica



Cardaria draba



Cirsium arvense



Crambe orientalis

A close-up photograph of a Cynoglossum officinale plant. The image shows a central, upright stem covered in fine, white, spreading hairs. The stem is densely packed with small, two-lipped purple flowers. Some flowers are fully open, showing a dark purple center and lighter purple outer lobes, while others are still in bud form. The leaves are lanceolate, green, and also covered in fine hairs. The background is a soft-focus green, suggesting a natural outdoor setting.

*Cynoglossum officinale*



**Adonis aestivalis**



Ajuga orientalis



Artemisia annua



A close-up photograph of the plant *Asperugo procumbens*. The image shows several green, lanceolate leaves with serrated margins and fine hairs. At the center, a cluster of small, purple, tubular flowers is visible, some in full bloom and others as buds. The background is a soft-focus green, suggesting a natural outdoor setting.

*Asperugo procumbens*



Capparis spinosa



Chelidonium majus



Consolida orientalis



Convolvulus arvensis



Geranium tuberosum



*Hyoscyamus niger*



Lamium album






Lappula squarrosa



*Lepidium perfoliatum*



Lepidium vesicarium




Lepidium vesicarium

A close-up photograph of a Lycopsis cf. orientalis plant. The image shows several green, serrated leaves with prominent veins. In the center, there is a cluster of small, light blue flowers with five petals and a white center. The flowers are surrounded by dark, hairy bracts. The background is a soft, out-of-focus green, suggesting a natural outdoor setting.

*Lycopsis* cf. *orientalis*



Malva neglecta

A photograph of a Nepeta mussinii plant in its natural habitat. The plant features several upright, purple-flowered spikes rising from a dense base of green, serrated leaves. The background consists of a mix of green grasses and dry, brownish vegetation on a rocky or sandy ground.

*Nepeta mussinii*



Nepeta mussinii





*Nonea armeniaca*



*Nonea polychroma*



Papaver cf. commutatum



Poa bulbosa



Rubia tinctorum



A photograph of a Salvia aethiopsis plant growing in a field. The plant has large, rounded, lobed leaves with a slightly wavy margin. The leaves are a vibrant green color. The plant is surrounded by other vegetation, including grasses and small yellow flowers. The ground is rocky and covered with dry twigs and debris. The lighting is bright, suggesting a sunny day.

**Salvia aethiopsis**



*Scleropoa rigida*



*Sisymbrium loeselii*





Stachys aetherocalyx



Tanacetum parthenifolium



Zygodium fabago